



The First Complete Sustainable Solution Food and Beverage Packaging for the Next Generation














foopak

Safer. Better.



HARDSIZED BASE PAPERBOARD

SALES & MARKETING NETWORK

FOOPAK HARDSIZE

CONTENTS

ABOUT ASIA PULP & PAPER (APP) SINARMAS

Sustainable Innovations for Our Future











Asia Pulp & Paper (APP), part of Sinar Mas, is a trade name for a group of pulp and paper manufacturing companies in Indonesia and China. APP is responsible for delivering quality products to meet the growing global demand for tissue, packaging and paper, with an annual combined pulp, paper, packaging product and converting capacity of over 28 million tons per annum.

On any given day, APP's product's find their way into the hands of consumers in various branded forms from all over the world. Ensuring supply chain integrity and commitment to the Sustainable Roadmap Vision 2020 are crucial to APP's operations.

Learn more about APP's path to operational excellence by reading our Sustainability Reports and Forest Conservation policy at www.asiapulppaper.com

APP at Glance *







> 28 millions tons

> 57,000 people

\$ 17 billion (2019)



WE MARKET TO

≥ 150 market



ZERO

Natural forest conversion by APP Pulpwood supplier since 2013



100%

Pulpwood supply from plantation



0.35%

Forest cover change in protected area in APP suppliers'



51%

Land disputes resolved



100%

Coverage of Sustainable Forest Management



324

Villages involved into the DMPA programme



1.69%

Of concession area impacted by fire in 2019

Certification



PEFC - SFM

Programme for the Endorsement of Forest Certification - Sustainable Forest Management

Coverage

2018

2019

91%

92%



PHPL-VLK

SVLK. Timber Legality
Assurance System

Coverage

2018

2019

100%

100%



foopak

is Safer.



SAFE

Made from high quality ingredients and sterile from harmful compounds and fluorine-free.



HALAL CERTIFIED

Halal assurance from raw material, processing equipment, storage method, to the distribution.



FOOD GRADE CERTIFIED

Certified by international standard (FDA, ISEGA, ISO)



100% VIRGIN PULP

Uses 100% virgin pulp, produced directly from highly selected woods.



NO ODOR

Doesn't change the aroma and taste of the food and beverage.



NO CHEMICAL MIGRATION

Maintains the hygiene and quality of the food with no chemical migration.



ENVIRONMENTALLY FRIENDLY

Usage of renewable and recyclable sources, and also compliance with international certification.





RESOURCES

Integrated supply of sources from forest to paper and implemented forest management system with international sustainable guidelines.



DISTRIBUTION NETWORK

Wide channel of distribution across APP and Sinarmas network across the world.



GLOBAL PLASTIC SITUATION 29M

Metric tons of plastic trash is expected to flow into the oceans every year by 2040, nearly triple the current amount

- National Geography 2020

460M

Metric Tons of Plastic Waste a Year by 2030

- World Economic Forum 2020

3.40B

Tons is the amount of global waste we can expect by 2050

- The World Bank 2020

GLOBAL PLASTIC SITUATION



AS OF JUNE 2019:

countries in the world have countries in the world have banned and implemented taxes on plastic usage.

65

countries have implied ban with varying degrees of enforcement.

32

countries have imposed additional surcharges.

countries in Latin America have implemented legislation.

INNOVATIVE ECO-FRIENDLY PAPERBOARD



The World Plastic-Free Take Away F&B Packaging







OUR INNOVATIVE PRODUCT



Global Plastic Situation.

79%

Accumulated in Landfills

PLASTIC WASTE


12%

9% Recycled Incinerated

460M

The amount of plastic waste is expected to tons a year by 2030. And by 2050, according to United Nations Environment Programme (UNEP), there will be more plastics in the oceans than there are fish.


Most plastics are not biodegradable and take more than 400 years to degrade. They also never fully degrade, instead they break down into smaller pieces that are eventually ingested by marine life.











PAPER CUP CRISIS SOLUTION













Foopak Bio Natura ourney.

Idea and trial

2015-2016

The Idea of **Bio Natura** was formed. It was researched and developed further using **Aqueous Dispersion Technology**.

The first trial began in the UK.





First Step

2017

The first **Bio Natura** commercialized in the UK, and won the Ecopac Challenge.



Awards

2018

Bio Natura received 2 prestigious awards recognition from **BIG and S&DCE awards**.







Achievement

2019 JOUR NEY Bio Natura received a reward from Environmental Leader for Product of the Year. APP finalized the formulation, providing the recyclable & compostable paper cup solution first in the world.







PLASTIC FREE, COMPOSTABLE, BIODEGRADABLE, & RECYCLABLE PAPER CUP

Plastic Free, OBA-Free, compostable, biodegradable, and recyclable paperboard, designed to fulfill the demand for eco-friendly food packaging and single-use cups.

- GSM: 205, 225, 245, 255, 275, 295, 315
- End application : Compostable Hot and Cold Cups, Compostable Boxes, Holticultural Pots, Lunch box, Take-away Cup Application
- Recyclable: EN 13430Compostable: EN 13432
- PFAS Free
- Microwaveable & Ovenable
- Plastic Free (ceritified by Flustix Plastic Free Product)



PRODUCT SPECIFICATION OF FOOPAK BIO NATURA 1/S (CG)

| GRAMMAGE T410 om-02 | | | | STIFFN T 566 (| | |
|------------------------|----------|-----------|----------------|-------------------|-------------|-------------|
| (g/m²) | (µm) | (pt) | CD (gf. cm) | MD (gf. cm) | CD (mNm) | MD (mNm) |
| 205 ± 4% | 275 ± 4% | 10.8 ± 4% | 27 | 66 | 2.6 | 6.5 |
| 225 ± 4% | 305 ± 4% | 12.0 ± 4% | 30 | 83 | 2.9 | 8.1 |
| 245 ± 4% | 330 ± 4% | 13.0 ± 4% | 39 | 95 | 3.8 | 9.3 |
| 255 ± 4% | 335 ± 4% | 13.2 ± 4% | 41 | 105 | 4.0 | 10.3 |
| 275 ± 4% | 370 ± 4% | 14.6 ± 4% | 52 | 123 | 5.1 | 12.1 |
| 295 ± 4% | 395 ± 4% | 15.6 ± 4% | 69 | 154 | 6.8 | 15.1 |
| 315 ± 4% | 425 ± 4% | 16.7 ± 4% | 80 | 187 | 7.8 | 18.4 |

Tolerance for stiffness ± 10%

| PROPERTY UNIT | METHOD | SIDE | VALUES |
|----------------------------|------------------|------|----------|
| Bendtsen Roughness, ml/min | ISO 5636-3 | TOP | Max 350 |
| | | BACK | Max 550 |
| Brightness, % | ISO 2470-1977(E) | TOP | Min 80.0 |
| | | BACK | Min 80.0 |

PRODUCT SPECIFICATION OF FOOPAK BIO NATURA 2/S (CT)

| GRAMMAGE T410 om-02 | THICKNESS ISO 534 : 1988 (E) | | STIFFNESS 15° (E) T 566 om-05 | | | |
|------------------------|---------------------------------|-----------|----------------------------------|----------------|-------------|-------------|
| (g/m²) | (µm) | (pt) | CD (gf. cm) | MD (gf. cm) | CD (mNm) | MD (mNm) |
| 215 ± 4% | 285 ± 4% | 11.2 ± 4% | 27 | 66 | 2.6 | 6.5 |
| 235 ± 4% | 315 ± 4% | 12.4 ± 4% | 30 | 83 | 2.9 | 8.1 |
| 255 ± 4% | 340 ± 4% | 13.4 ± 4% | 39 | 95 | 3.8 | 9.3 |
| 265 ± 4% | 345 ± 4% | 13.6 ± 4% | 41 | 105 | 4.0 | 10.3 |
| 285 ± 4% | 380 ± 4% | 15.0 ± 4% | 52 | 123 | 5.1 | 12.1 |
| 305 ± 4% | 405 ± 4% | 15.9 ± 4% | 69 | 154 | 6.8 | 15.1 |
| 325 ± 4% | 435 ± 4% | 17.1 ± 4% | 80 | 187 | 7.8 | 18.4 |

Tolerance for stiffness ± 10%

| PROPERTY UNIT | METHOD | SIDE | VALUES |
|----------------------------|------------------|------|----------|
| Bendtsen Roughness, ml/min | ISO 5636-3 | TOP | Max 350 |
| | | BACK | Max 550 |
| Brightness, % | ISO 2470-1977(E) | TOP | Min 80.0 |
| | | BACK | Min 80.0 |

Compostable Hot and Cold Cups, Compostable Boxes, Holticultural Pots, Lunch box, Take-away Cup Application

Issued Date: November 11, 2020



























WHY FOOPAK BIO NATURA



FULLY RECYCLABLE & REPULPABLE

Certified by the institute cyclos-HTP and can be directly repulped without any additional treatment.



COMPOSTABLE

Can be safely composted in a facility by complying with:

 EN 13432 Certification can be completely broken down and returned to nature by decomposing in a matter of 12 weeks.





PEFC CERTIFIED

Commit to zero deforestation and use 100% natural liber from sustainably managed plantations.



PLASTIC FREE

Foopak Bio Natura is certified as Plastic Free Product by Flustix for use in Food and Beverage packaging. This certification means that Foopak Bio Natura also adheres to the new Single Use Plastic Directive in Europe..



INTERNATIONALLY AWARDED

Award winning product from severa institute.

Our Winning Awards.

Environmental Leader Awards 2019

Product of the Year

The Product of the Year award is an annual program run by Environmental Leader and Energy Manager Today that recognizes the most innovative and successful environment, sustainability and energy products and projects. An independent panel of industry experts judge the entries each year.



15th May 2019

Winnind

SDCE Awards 2018

Green Supply Chain Awards



10th December 2018

Supply & Demand Chain Executive is the executive's user manual for successful supply and demand chain transformation, utilizing hard-hitting analysis, viewpoints, and unbiased case studies to steer executives and supply management professionals through the complicated, yet critical, world of supply and demand chain enablement to gain competitive advantage.

BIG Awards 2018

Sustainability Product of the Year

Business Intelligence Group was founded with the mission of recognizing true talent and superior performance in the business world. Those with experience and knowledge business executive judge the programs.



18th July 2018

Awards





ECO-FRIENDLY CONTAINER BOARD

Plastic free and heatsealable board with better MVTR (Moisture Vapor Transmission Rate) to preserve freshness of the food and capable for lunchbox application.

- GSM: 240, 255, 270, 290, 315, 340
- End application : Sandwich Boxes, Salad Boxes, Candy Boxes, Horticultural Pots, Chocolate Boxes, Lunch boxes, Trays
- Recyclable: EN 13430
- PFAS Free



PRODUCT SPECIFICATION OF FOOPAK BIO CONTAINER

| GRAMMAGE T410 om-02 | | THICKNESS ISO 534 : 1988 (E) | | | IESS 15º om-04 | |
|------------------------|----------|---------------------------------|----------------|----------------|-------------------|-------------|
| (g/m²) | (µm) | (pt) | CD (gf. cm) | MD (gf. cm) | CD (mNm) | MD (mNm) |
| 240 ± 5% | 350 ± 4% | 13.8 ± 4% | 61 | 121 | 6.0 | 11.9 |
| 255 ± 5% | 380 ± 4% | 14.9 ± 4% | 83 | 149 | 7.1 | 14.6 |
| 270 ± 5% | 410 ± 4% | 16.1 ± 4% | 94 | 174 | 8.1 | 17.2 |
| 290 ± 5% | 450 ± 4% | 17.7 ± 4% | 116 | 220 | 11.4 | 21.6 |
| 315 ± 5% | 500 ± 4% | 19.7 ± 4% | 149 | 275 | 14.6 | 27.0 |
| 340 ± 5% | 550 ± 4% | 21.7 ± 4% | 176 | 330 | 17.3 | 32.4 |
| *370 ± 5% | 600 ± 4% | 23.6 ± 4% | 223 | 380 | 21.8 | 33.8 |

^{*}Available upon requested

Tolerance for stiffness ± 10%

| PROPERTY UNIT | МЕТН | SIDE | VA | LUES | |
|----------------------------|------------------|---------------|-----|------|----------|
| Bendtsen Roughness, ml/min | T555 om-04 | | TOP | (µm) | Avg 1.00 |
| | | 240 - 370 gsm | TOP | (µm) | Max 1.30 |
| Brightness, % | ISO 2470-1977(E) | | TOP | % | 90.0 ± 1 |

APPLICATION USE

Sandwich Boxes, Salad Boxes, Candy Boxes, Horticultural Pots, Chocolate Boxes, Lunch boxes, Trays.

Issued Date: June 20, 2016

























GREASE RESISTANT BARRIER COATED PAPERBOARD

Barrier coated and eco-friendly paperboard that is designed to resist oil and moisture penetration on direct food contact packaging for any greasy food.

- GSM: 235, 250, 265, 285, 310, 335
- End application: Boxes for Burger, Pizza, Bakeries, Pastries, Crackers, Chocolate, Fried Chicken, Fried Food, and Chilled Food.
- Available in KIT 6, KIT 8, and KIT 10



PRODUCT SPECIFICATION OF FOOPAK GREASEPROOF

| GRAMMAGE T410 om-02 | THICKNESS STIFFNES ISO 534:1988 (E) T 489 or | | | | | |
|------------------------|---|-----------|----------------|----------------|-------------|-------------|
| (g/m²) | (µm) | (pt) | CD (gf. cm) | MD (gf. cm) | CD (mNm) | MD (mNm) |
| 235 ± 5% | 350 ± 4% | 13.8 ± 4% | 61 | 121 | 6.0 | 11.9 |
| 250 ± 5% | 380 ± 4% | 14.9 ± 4% | 83 | 149 | 7.1 | 14.6 |
| 265 ± 5% | 410 ± 4% | 16.1 ± 4% | 94 | 174 | 8.1 | 17.2 |
| 285 ± 5% | 450 ± 4% | 17.7 ± 4% | 116 | 220 | 11.4 | 21.6 |
| 310 ± 5% | 500 ± 4% | 19.7 ± 4% | 149 | 275 | 14.6 | 27.0 |
| 335 ± 5% | 550 ± 4% | 21.7 ± 4% | 176 | 330 | 17.3 | 32.4 |
| *365 ± 5% | 600 ± 4% | 23.6 ± 4% | 223 | 380 | 21.8 | 33.8 |

^{*}Available upon requested

Tolerance for stiffness ± 10%

| PROPERTY UNIT | METH | SIDE | VA | LUES | |
|----------------------------|------------------|---------------|-----|------|----------|
| Bendtsen Roughness, ml/min | T555 om-04 | 235 gsm | TOP | (µm) | Max 1.00 |
| | | 240 - 370 gsm | TOP | (µm) | Max 1.30 |
| Brightness, % | ISO 2470-1977(E) | | TOP | % | 90.0 ± 1 |

COATING OPTIONS

Available in KIT 6, KIT 8, and KIT 10

Kit 6,8 : Waterbase Glue

Kit 10 : Special Acylic & Hotmelt Glue

APPLICATION USE

Boxes for Burger, Pizza, Bakeries, Pastries, Crackers, Chocolate, Fried Chicken, Fried Food, and Chilled Food.

Issued Date: September 01, 2016















POLY COATED PAPERBOARD



Discover the high quality poly coated paperboard for your hot, cold, and frozen food packaging application









HIGH QUALITY POLY COATED PAPER CUPS

OBA-free poly coated board with strong edge wicking resistance and good barrier performance, with printability for hot and cold Food & Beverage applications.

- GSM (base board): 190, 210, 230, 240, 260, 270, 280, 300
- End application : Hot/Cold Beverage Cups, Noodle Cups, Soup Cups, Food Buckets, Food Boxes, Ice Cream Cups, and Partition Lunch Box.
- Available in 1 side or 2 sides PE (gloss / matte finish) with range 15 25 gsm for each side.



PRODUCT SPECIFICATION OF FOOPAK NATURA CUP

| GRAMMAGE T410 om-02 | | THICKNESS ISO 534 : 1988 (E) | | STIFFNESS 15° T 556 om-05 | | |
|------------------------|----------|---------------------------------|----------------|------------------------------|-------------|-------------|
| (g/m²) | (µm) | (pt) | CD (gf. cm) | MD (gf. cm) | CD (mNm) | MD (mNm) |
| 190 ± 3% | 265 ± 3% | 10.4 ± 3% | 27 | 66 | 2.6 | 6.5 |
| 210 ± 3% | 295 ± 3% | 11.6 ± 3% | 30 | 83 | 2.9 | 8.1 |
| 230 ± 3% | 320 ± 3% | 12.6 ± 3% | 39 | 95 | 3.8 | 9.3 |
| 240 ± 3% | 325 ± 3% | 12.8 ± 3% | 41 | 105 | 4.0 | 10.3 |
| 260 ± 3% | 360 ± 3% | 14.2 ± 3% | 52 | 123 | 5.1 | 12.1 |
| 270 ± 3% | 375 ± 3% | 14.8 ± 3% | 65 | 143 | 6.4 | 14.0 |
| 280 ± 3% | 385 ± 3% | 15.2 ± 3% | 69 | 154 | 6.8 | 15.1 |
| 300 ± 3% | 415 ± 3% | 16.3 ± 3% | 80 | 187 | 7.8 | 18.4 |

Tolerance for stiffness ± 10%

| PROPERTY UNIT | METHOD | SIDE | VALUES | |
|----------------------------|------------------|------|--------|----------|
| Bendtsen Roughness, ml/min | T555 om-04 | TOP | (µm) | Max 350 |
| | | BACK | (µm) | Max 550 |
| Brightness, % | ISO 2470-1977(E) | TOP | % | 80.0 ± 1 |
| | | BACK | % | 80.0 ± 1 |

COATING OPTIONS

- PE substance is available 1 and 2 side base on customer requirement, with coating range from 12 gsm until 25 gsm.
- Available in matte and glossy finish.
- PE weight is to be added in baseboard gsm to get final gsm.

APPLICATION USE

- 1/s PE for hot cup application : Hot Beverage, Noodle, Soup Cups, Food Bucket.
- 2/s PE for cold cup application : Cold Beverage, Ice Cream, Youghurt Cup

Issued Date: September 15, 2020





















SUPERIOR HARDSIZED POLY COATED PAPERBOARD

White shade poly coated board designed as direct-contact food packaging application with extra protection for the food and ability to be stored in both fridge and frozen condition.

- GSM (base board): 230, 245, 260, 280, 305, 330
- End application: Design For Meat, Seafood, Ice Cream Packaging, Hot Rice, Hot Noodles, Take Away, Frozen Packaging, etc.
- Available in 1 side or 2 sides PE (gloss / matte finish) with range 15 25 gsm for each side.



PRODUCT SPECIFICATION OF FOOPAK PE BOARD

| GRAMMAGE T410 om-02 | THICKNESS ISO 534:1988 (E) | | | | NESS 15º om-05 | |
|------------------------|-------------------------------|-----------|----------------|----------------|-------------------|-------------|
| (g/m²) | (µm) | (pt) | CD (gf. cm) | MD (gf. cm) | CD (mNm) | MD (mNm) |
| 230 ± 4% | 350 ± 4% | 13.8 ± 4% | 61 | 121 | 6.0 | 11.9 |
| 245 ± 4% | 380 ± 4% | 14.9 ± 4% | 83 | 149 | 7.1 | 14.6 |
| 260 ± 4% | 410 ± 4% | 16.1 ± 4% | 94 | 174 | 8.1 | 17.2 |
| 280 ± 4% | 450 ± 4% | 17.7 ± 4% | 116 | 220 | 11.4 | 21.6 |
| 305 ± 4% | 500 ± 4% | 19.7 ± 4% | 149 | 275 | 14.6 | 27.0 |
| 330 ± 4% | 550 ± 4% | 21.7 ± 4% | 176 | 330 | 17.3 | 32.4 |
| *360 ± 4% | 600 ± 4% | 23.6 ± 4% | 223 | 380 | 21.8 | 33.8 |

^{*}Available upon requested

Tolerance for stiffness ± 10%

| PROPERTY UNIT | METHOD | SIDE | VALUES | | |
|-----------------|------------------|---------|---------|------------|--|
| Brightness, % | ISO 2470-1977(E) | ТОР | % | 90.0 ± 1.0 | |
| Surface Tension | ASTM D2578-09 | PE Side | Dyne/cm | Min 38 | |

COATING OPTIONS

- PE substance is available 1 and 2 side base on customer requirement, with coating range from 12 gsm until 25 gsm.
- Available in matte and glossy finish.
- PE weight is to be added in baseboard gsm to get final gsm.

APPLICATION USE

Design For Meat, Seafood, Ice Cream Packaging, Hot Rice, Hot Noodles, Take Away, Frozen Packaging, etc.

Issued Date: November 16, 2020















HARDSIZED BASE PAPERBOARD



The ideal hardsized base paperboard for your cold and frozen food packaging solution







EXCELLENT STIFFNESS HARDSIZED BASE BOARD

Hardsized and high bulk base board with excellent stiffness for low temperature and frozen condition packaging.

- GSM (base board): 230, 245, 260, 280, 305, 330
- End application: Boxes for Cake, Tart, Chocolate, Pharmaceutical, and Confectionery, as well as Base Paper for Frozen Boxes.



PRODUCT SPECIFICATION OF FOOPAK HARDSIZE BOARD

| GRAMMAGE T410 om-02 | THICKNESS ISO 534 : 1988 (E) | | STIFFNESS 15° T 489 om-04 | | | |
|------------------------|---------------------------------|-----------|------------------------------|----------------|-------------|-------------|
| (g/m²) | (µm) | (pt) | CD (gf.cm) | MD (gf. cm) | CD (mNm) | MD (mNm) |
| 230 ± 4% | 350 ± 4% | 13.8± 4% | 61 | 121 | 6.0 | 11.9 |
| 245 ± 4% | 380 ± 4% | 14.9 ± 4% | 83 | 149 | 7.1 | 14.6 |
| 260± 4% | 410 ± 4% | 16.1 ± 4% | 94 | 174 | 8.1 | 17.2 |
| 280 ± 4% | 450 ± 4% | 17.7 ± 4% | 116 | 220 | 11.4 | 21.6 |
| 305 ± 4% | 500 ± 4% | 19.7 ± 4% | 149 | 275 | 14.6 | 27.0 |
| 330 ± 5% | 550 ± 4% | 21.7 ± 4% | 176 | 330 | 17.3 | 32.4 |
| *360 ± 5% | 600 ± 4% | 23.6 ± 4% | 223 | 380 | 21.8 | 33.8 |

^{*}Available upon requested

Tolerance for stiffness ± 10%

| PROPERTY UNIT | METHOD | SIDE | | VALUES |
|----------------------------|------------------|------|------|----------|
| Bendtsen Roughness, ml/min | T555 om-04 | TOP | (µm) | Max 1.80 |
| Brightness, % | ISO 2470-1977(E) | TOP | % | 90.0 ± 1 |

APPLICATION USE

Boxes for Cake, Tart, Chocolate, Pharmaceutical, and Confectionery, as well as Base Paper for Frozen Boxes.

Issued Date: January 02, 2020

















Sales & Marketing Network

HEAD OFFICE JAKARTA, INDONESIA

PT. Cakrawala Mega Indah

Sinarmas Land Plaza, Tower II, 17th Floor

II M H Thamrin No 51 Jakarta 10350

Ph : 0 800 1 368 368 Contact : APP Call Center

Email: app_callcenter@app.co.id

MALAYSIA

Kuala Lumpur

Goldtech Access Sdn Bhd, S-11-01, First Subang,

Selangor Darul Ehsan, Malaysia

Ph: (60) 3 5631 0888 Contact: Yehuda Christianto

Email : Yehuda@goldtech.com.my

Penang Branch

Goldtech Access Sdn Bhd

Unit 03-07, Block 2, Udini Square,

Lebuh Tunku Kudin 3, 11700 Gelugor, Penang Malay-

sia

Ph : (60) 4 2918714 Contact : Alvin Niap

Email: Alvin_niap@goldtech.co.my

SINGAPORE

APP Commercial Pte Ltd

108 Pasir Panjang Road

Golden Agri Plaza #05-11 Singapore 118535

Ph : (65) 6819 0667 Contact : Ms. Christine Lye

Email : Christinalye@app-sg.com

THAILAND

APP International Marketing Ltd

AIA Capital Center Building, 89 Unit 1004, 10th fl,

Ratchadaphisek Road, Dindaeng,

Bangkok 10400 – Thailand

Phone : (66) 2 0103 0267 Name : Mr. Jay Lee

Email : jay@appthai.co.id

VIETNAM

Ho Chi Minh Office

APPIM Vietnam

Sailing Tower, 12th Floor, Unit 1203

111A Pasteur Street, District.1, HCM City, Vietnam

Ph : (84) 28 3821 9461 /

(84) 28 3821 9462

Contact : Mr. Gerard Thin

Email: Gerard.thin@appvietnam.com.vn

Ha Noi Office

APPIM Vietnam

Sky City Building, Tower A, 9th Floor, 88 Lang Ha Street

Dong Da District, Hanoi City, Vietnam

Phone : +84 24 3974 731° Contact : Mr. Gerard Thin

Email: Gerard.thin@appvietnam.com.vn

PHILIPPINES

APP (Phils.), Inc.

Unit 15B 15th Floor Petron Mega Plaza Bldg.,

358 Sen. Gil Puyat Avenue, Makati city, 1226 Philippines

Ph : (63 2) 511 0912 / (6 32) 625 024

Contact : Mr. Juancho Cajarito

Email: Juancho.cajarito@appphil.com.ph

MYANMAR

APP Int'l Marketing Pte Ltd (Yangon Branch)

Tower One, Room 5-C, Thiri Avenue, Taw Win Road

Mayangone Township, Yangon, Myanmai

Ph : (65) 98159816

Contact : Mr. Andrew Tan

Email: andrew@appmm.com.mm

CHINA

Guangzhou Office

Yuang Feng (GuangZhou) Trading Co. Ltd

广州天河体育东路 140-148号南方证券大厦803房 RM 803, #140-148, Southern Securities Building

Ti Yu Dong Road, Guangzhou, China

Post code: 510620

Ph : 020-38878558 Contact : Mr. Jay Lee

Email: iav@appthai.co.th

Sales & Marketing Network

Shanghai Office

YuanFeng Trading co.Ltd

上海市长宁区延安西路2067号仲盛金融中心2303室 RM 2303, #2067, Zhongsheng Financial Center Yan An Xi Road, Changning Distric, Shanghai, China

Post code : 200050 Contact : Mr. Jay Lee

Email : jay@appthai.co.th

HONGKONG

i-Deal print Ltd. (paper product)

Unit 504B 5/F Empire Centre, 68 ModyRd, TSTE KIn Hongkong

Phone : (852) 2733 0448 Name : Mr. Tim Ooi

Email: tim.ooi@goldeastpaper.com.hk

TAIWAN

APP Paper Co. Ltd

Rm. B1, 5F., No. 335, Sec. 2, Dunhua S. Rd.,

Da'an Dist., Taipei City 106, Taiwan Phone : (886) 2 2299 7691

Email : app_callcenter@app.co.id

INDIA

Great Divine Pulp and Paper (India) Pvt Ltd

Contact : Mr. Rohan Rodrigues Email : Rohan.rodrigues@gdppin-

dia.com

Gurgaon Office

703, 7th Floor, Time tower, DLF Phase-II, Gurgaon,

Mehrauli Rd, Haryana, India-122001

Ph : (91) 124 4909501-10

Mumbai Office

401, Centre Point, J.B. Nagar, Andheri - Kurla Road

Andheri – East. Mumbai - 400059

Ph : 022-40389803

UNITED ARAB EMIRATES, DUBAI

APP International Marketing Ltd

AL Ghurair City, Office Tower, Suite – 735

Ph : +97142243224

JAPAN

APP Japan Ltd

Tokyo Office

14F, Higashi Gotanda Square,

2-10-2 Higashi Gotanda, Shinagawa-ku,

Tokyo 141-0022, Japan

Ph : (81) 3 5795 0021 Name : Mr. Higurashi Kaku

Email: kaku-higurashi@appj.co.jp

Osaka Office

13F Floor, YodoyaBashi Center Bldg 3-4-10

KoraiBashi, Chuo-Ku, Osaka City,

Osaka 541-0043, Japan

Ph : (81) 6 4707 6670

Name : Mr Higurashi Kak

Emai : kaku-higurashi@appi.co.ir

SOUTH KOREA

APP KOREA

21, Teheran-ro 83-gil, Gangnam-gu,

Dahyung Bldg. 5th Floor

Seoul 06168 Korea

Phone : (82) 2 501 0790

Name : Mr. Shin Yong Jae

Email : yjshin@appkor.co.kr

AUSTRALIA

Paper Force Pty Ltd

Suite 10, 255 Whitehorse Road, Balwyn

Ph : (61) 3 8809 3333
Fax : (60) 3 5631 0918
Contact : Mr. Larry lackson

Email: larry.jackson@papeforce.com.au

TURKEY

APP International Marketing Ltd

Barbaros Bulvari Barbaros Apt. 74/9, Besiktas 34349, Instanbul, Turkey

Phone : (90) 212 275 3277

-mail · rohan rodrigues@annindia c

Sales & Marketing Network

UNITED STATES OF AMERICA

Charta Global, Inc.

100 S Anaheim Blvd. Suite 250, Anaheim,

CA 92805, USA

Phone : (1) 714 780 0595

Name : Mr. Rizal Setiadi

Email : info@chartaglobal.com

CANADA

Toronto Office Asia Pulp & Paper Ltd.

20 Hereford St.#15, Brampton Ontario,

Canada L6Y OM1

Phone : (1) 905 450 2100 Contact : Mr. David chin

Email : david@appcanada.com

MEXICO

APP International Marketing Ltd.

Calle Lago Zurich # 219, Piso 12, Col. Apliacion Granada, Delegacion Miguel Hidalgo, Ciudad de Mexico, D.F.

Phone : (52) 55 4124 0002 Name : Mr. Fernando Zelaya

Email: fernando.zelaya@appmex.com.mx

BRAZIL

Cathay Latin America Ltda

Rua Joaquim Floriano, 72 – Cj.191 – Itaim Bibi Sao Paulo – SP – Brazil – Zip Code: 04534-010

Ph : +55 11 3707-1507 Contact : Mr.Milton Souza

Email : Milton.souza@cathay.com.br

UNITED KINGDOM

Calington Ltd

Gate House, Fretherne Road, Welwyn Garden City,

Hertfordshire AL8 6NS-UK

Phone : (44) 0 1707 376 959

Name : Mr. lain Kindness

Email : jaink@calington.co.ul

ITALY

APP ITALY Srl

Via G. Longhin, 71-35129 – Padova

Ph : (39) 0 49 86971

Name : Mr. Giovanni Stivanello Email : gstivanello@appitalia.it

AUSTRIA

APP Austria GmbH

Prinz Eugen-Strasse 58, Top 9-10, A-1040

Vienna, Austria

Ph : (43) 1 5872 18215 Contact : Mr.Petr Balaaz

Email: pbalaz@app-austria.at

SPAIN

Vintage Paper

C/ Tuset, n° 5 - 2-D - 08006 Barcelona Spain

Phone : +34 934 960 634

Name : Mr. Carlos Olivet

Fmail: colivet@vintagenaper-sp.com

SOUTH AFRICA

APP International Marketing Ltd

Icon Building, Cube Workspace office - 219

Chr Lower Long & Hans Strijdom Ave Foreshore,

Cape Town 8001, South Africa.

Ph : +27-21-4121509 ext 1509.

Name : Mr. Subodh Vanjare

Fmail : subodh vaniare@apprsa.com



foopak

Safer. Better.

































For inquiry please contact:

Indah Kiat Serang Mill, Jl. Raya Serang Km. 76, Serang 42184, Banten - Indonesia

Email: cs_iks@app.co.id

Website: www.asiapuppaper.com | www.foopak.com







